


















Acciaio
 <850
 N/mm²

<850 N/mm² - METRICO PASSO GROSSO



	A05120	A05130
		
	Tkn	Tkn
Norma	DIN 371	DIN 376
Tolleranza	ISO 2 6H	ISO 2 6H
Rivestimento	Non rivestito	Non rivestito
Materiale	HSS-E	HSS-E
Destro / Sinistro	Destro	Destro
Angolo elica		
Imbocco		
Emulsione / Olio	E 0	E 0
Cieco / Passante		

	Vc min / Vc max (m/min)	8	8
	Vc min / Vc max (m/min)	2	2
	Vc min / Vc max (m/min)		
	Vc min / Vc max (m/min)		
	Vc min / Vc max (m/min)		
	Vc min / Vc max (m/min)		
	Vc min / Vc max (m/min)	5	5

M	Passo (mm)	Preforo (mm)	ø d2 (mm)	□ (mm)	L1 (mm)	L2 (mm)	Finale Codice	A05120	A05130
								€	€
M2	0,4	1,6	2,8	2,1	45	4,5	0200	◆	◆
M2,5	0,45	2,05	2,8	2,1	50	5	0250	◆	◆
M2,6	0,45	2,15	2,8	2,1	50	5	0260	◆	◆
M3	0,5	2,5	3,5	2,7	56	6	0300	◆	◆
M4	0,7	3,3	4,5	3,4	63	7,5	0400	◆	◆
M5	0,8	4,2	6	4,9	70	8,5	0500	◆	◆
M6	1	5	6	4,9	80	11	0600	◆	◆
M8	1,25	6,8	8	6,2	90	14	0800	◆	◆
M10	1,5	8,5	10	8	100	16	1000	◆	◆
M12	1,75	10,2	9	7	110	18,5	1200	◆	◆
M14	2	12	11	9	110	20	1400	◆	◆
M16	2	14	12	9	110	20	1600	◆	◆
M18	2,5	15,5	14	11	125	25	1800	◆	◆
M20	2,5	17,5	16	12	140	25	2000	◆	◆
M24	3	21	18	14,5	160	30	2400	◆	◆
M27	3	24	20	16	160	30	2700	◆	◆
M30	3,5	26,5	22	18	180	35	3000	◆	◆