

Revision nr. 5

Printed on 09/09/2021

Page n. 1/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: U052400004
Product name ER F680

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Universal cutting fluid for threading and tapping.

Uses advised against: Different uses than those intended.

1.3. Details of the supplier of the safety data sheet

Name CENTRO DISTRIBUZIONE UTENSILI SCPA

Full address Via delle Gerole, 19
District and Country 20867 CAPONAGO (MB)

ITALY

tel. +39 02 95746081 fax. + 39 02 95745182

e-mail address of the competent person

responsible for the Safety Data Sheet info@cdu.net

Product distribution by: CENTRO DISTRIBUZIONE UTENSILI SCPA

1.4. Emergency telephone number

For urgent inquiries refer to CENTRO DISTRIBUZIONE UTENSILI SCPA

+39 02 95746081 (Technical support - Office hour 8.30-13.00 - 14.00-17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Aerosol, category 1 H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: DANGER

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 2/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.

P102 Keep out of reach of children.

P211 Do not spray on an open flame or other ignition source.

2.3. Other hazards

P251

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification X = Conc. % Classification 1272/2008 (CLP)

PROPANE

CAS 74-98-6 7,30 \leq x \leq 10,30 Flam. Gas 1A H220, Press. Gas (Lig.) H280

EC 200-827-9

INDEX 601-003-00-5

REACH Reg. 01-2119486944-21

BUTANE

CAS 106-97-8 2,50 \leq x \leq 4,61 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to

EC 203-448-7 Annex VI to the CLP Regulation: C

INDEX 601-004-00-0

REACH Reg. 01-2119474691-32

ISOBUTANE

EC 200-857-2

CAS 75-28-5 1,20 \leq x \leq 2,23 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to

Annex VI to the CLP Regulation: C

INDEX 601-004-00-0

REACH Reg. 01-2119485395-27

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants max: 17,14 %

SECTION 4. First aid measures

4.1. Description of first aid measures

No episodes of harm to the staff authorised to use the product have been reported. The following general measures should be adopted as necessary: INHALATION: remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

INGESTION: get medical advice/attention. Induce vomiting only if indicated by the doctor. Do not give anything by mouth to an unconscious person. EYES and SKIN: Wash with plenty of water. In the event of persistent irritation, get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information for the doctor: symptomatically treatment.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 3/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

Storage class TRGS 510 (Germany): 2B

7.3. Specific end use(s)

Universal cutting fluid for threading and tapping.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

AUS Österreich Gesamte Rechtsvorschrift für Grenzwerteverordnung 2018, Fassung vom 17.10.2018 **BEL** Belgique AR du 11/3/2002. La liste est mise à jour pour 2017

BGR България МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА МИНИСТЕРСТВО НА ЗДРАВЕОПАЗВАНЕТО НАРЕДБА No 13 от 30 декември 2003 г (4 Септември 2018г) CHE Suisse / Schweiz Valeurs limites d'exposition aux postes de travail en Suisse: valeurs VME/VLE. Version Juin

2019 (SUVA)

DEU Deutschland TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und

Kurzzeitwerte



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 4/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

DNK Danmark Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019 **ESP** LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 **España EST** Eesti Ohtlike kemikaalide ja neid sisaldavate materjalide kasutamise töötervishoiu ja tööohutuse nõuded ning töökeskkonna keemiliste ohutegurite piirnormid [RT I, 17.10.2019, 1 - jõust. FRA France Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS FIN Suomi HTP-VÄRDEN 2018. Koncentrationer som befunnits skadliga. SOCIAL- OCH HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 10/2018 ΕΦΗΜΕΡΙΔΑ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ - ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 152 - 21 Αυγούστου **GRC** Ελλάδα HUN Magyarország A pénzügyminiszter 7/2018. (VIII. 29.) PM rendelete a munkahelyek kémiai biztonságáról szóló 25/2000. (IX. 30.) EüM-SZCSM együ, TTes rendelet módosításáról. HRV Hrvatska Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/18) IRL Éire 2018 Code of Practice for the Chemical Agents Regulations Safety Authority Ķīmisko vielu aroda ekspozīcijas robežvērtības (AER) darba vides gaisā 2018 Latviia I VA Fastsatt av Arbeids- og sosialdepartementet 21. august 2018 med hjemmel i lov 17. juni 2005 NOR Norge nr. 62 om arbeidsmiljø, arbeidstid, stillingsvern mv. (arbeidsmiljøloven) § 1-3, § 1-4 og § 4-5 NLD Nederland Regeling van de Staatssecretaris van Sociale Zaken en Werkgelegenheid van 13 juli 2018, 2018-0000118517 tot wijziging van de Arbeidsomstandighedenregeling in verband met de implementatie van Richtlijn 2017/164 in Bijlage XIII POL Polska ROZPORZADZENIE MINISTRA RODZINÝ, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r HOTĂRÂRE nr. 584 din 2 august 2018 pentru modificarea Hotărârii Guvernului nr. 1.218/2006 ROU România privind stabilirea cerințelor minime de securitate și sănătate în muncă pentru asigurarea protectiei lucrătorilor împotriva riscurilor legate de prezenta agentilor chimici Uradni list Republike Slovenije 20.12.2019 - Uradnem listu RS št. 78/19 -PRAVILNIK o SVN Slovenija varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu United Kingdom EH40/2005 Workplace exposure limits (Third edition, published 2018) **GBR** TLV-ACGIH **ACGIH 2019**

			PRO	PANE			
Type	lue Country TWA/8h			STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
MAK	AUS	1800	1000	3600	2000		STEL:60(Mow),Häufigkei t/Sch:3x
TRK	AUS	1800	1000	3600	2000		
VLEP	BEL		1000				
TLV	BGR	1800					
MAK	CHE	1800	1000	7200	4000		
VME/VLE	CHE	1800	1000	7200	4000		
AGW	DEU	1800	1000	7200	4000		
MAK	DEU	1800	1000	7200	4000		
TLV	DNK	1800	1000	3600	2000		
VLA	ESP		1000				
TLV	EST	1800	1000				
HTP	FIN	1500	800	2000	1100		
TLV	GRC	1800	1000				
RV	LVA	1800	100				
TLV	NOR	900	500				
NDS/NDSCh	POL	1800					
TLV	ROU	1400	778	1800	1000		



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 5/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

MV SVN 1800 1000 7200 4000

BUTANE								
Threshold Limit Value Type	Country TWA/8h		STEL/15min		Remarks / Observations			
		mg/m3	ppm	mg/m3	ppm	Observations		
MAK	AUS	1900	800	3800	1600		STEL:60(Mow),Häufigkei t/Sch:3x	
TRK	AUS	1600	800	3800	1600			
VLEP	BEL			2370	980			
TLV	BGR	1900						
MAK	CHE	1900	800					
VME/VLE	CHE	1900	800					
AGW	DEU	2400	1000	9600	4000			
MAK	DEU	2400	1000	9600	4000			
TLV	DNK	1200	500	2400	1000			
VLA	ESP	1935	800					
TLV	EST	4					peentolm	
VLEP	FRA	1900	800					
HTP	FIN	1900	800	2400	1000			
TLV	GRC	2350	1000					
AK	HUN	2350		9400				
GVI/KGVI	HRV	1450	600	1810	750			
RV	LVA	300						
TLV	NOR	600	250					
TGG	NLD	1430						
NDS/NDSCh	POL	1900		3000				
MV	SVN	2400	1000	9600	4000			
WEL	GBR	1450	600	1810	750			
WEL	GBR		4			RESP		
TLV-ACGIH					1000			

			ISOB	UTANE			
Threshold Limit Valu	е						
Туре	Country	Country TWA/8h		STEL/15min	l	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
VLEP	BEL			2370	980		
MAK	CHE	1900	800				
VME/VLE	CHE	1900	800				
AGW	DEU	2400	1000	9600	4000		
MAK	DEU	2400	1000	9600	4000		
HTP	FIN	1900	800	2400	1000		
OELV	IRL				1000		
TLV-ACGIH					1000		



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 6/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with nitrile or neoprene gloves (see standard EN 374).

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties Properties Value

Appearance aerosol Colour amber Odour characteristic Odour threshold Not available рΗ Not applicable Melting point / freezing point Not available Initial boiling point Not available Not available Boiling range < 0 °C Flash point Evaporation rate Not available Not available Flammability Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Relative vapour density Not available Relative density Not available Not available Solubility Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Kinematic viscosity Not available Explosive properties Not available Oxidising properties Not available



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 7/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

9.2. Other information

VOC (Directive 2010/75/EC): 17,12 %

Propellant flammability extremely flammable

Limit of propellant flammability 1,8-9,5%

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products

Information not available.

SECTION 11. Toxicological information

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available.

Information on likely routes of exposure

Information not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available.

Interactive effects

Information not available.

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture: not classified (no significant component) not classified (no significant component) not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class.



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 8/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Information not available.

12.2. Persistence and degradability

BUTANE

Rapidly degradable

PROPANE

Rapidly degradable

12.3. Bioaccumulative potential

Information not available.

12.4. Mobility in soil

Information not available.

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 9/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, IATA: 1950

14.2. UN proper shipping name

ADR / RID: **AEROSOLS** IMDG: **AEROSOLS**

IATA: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

ADR / RID: Class: 2 Label: 2.1

IMDG: Class: 2 Label: 2.1

Class: 2 IATA: Label: 2.1



14.4. Packing group

ADR / RID, IMDG, IATA:

14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: --Limited Quantities: 1 L Tunnel restriction code: (D)

Special provision: -

IMDG: EMS: F-D, S-U Limited Quantities: 1 L

IATA: Cargo: Maximum quantity: 150 Kg Packaging instructions: 203 Packaging instructions: 203

Pass.: Maximum quantity: 75 Kg

A145, A167, A802 Special provision:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Information not relevant.

SECTION 15. Regulatory information



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 10/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Product

Point 40

Seveso Category - Directive 2012/18/EC: P3a.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None.

Healthcare controls

Information not available.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the mixture.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1A Flammable gas, category 1A

Aerosol 1 Aerosol, category 1
Aerosol 3 Aerosol, category 3
Press. Gas (Liq.) Liquefied gas

H220 Extremely flammable gas.H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.H280 Contains gas under pressure; may burst if heated.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation



Revision nr. 5 Dated 12/11/2020

Printed on 09/09/2021

Page n. 11/12

Replaced revision:4 (Dated: 05/07/2017)

ΕN

ER F680

- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

Classification and procedure used to derive it in accordance with Regulation (EC) 1272/2008 (CLP) in relation to mixtures:

Classification according to Regulation (EC) No. 1272/2008	Classification procedure
Aerosol 1 H222+H229	Calculation method

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament

- 8. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
 The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- **FCHA** website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12. Changes to previous review:



Revision nr. 5 Dated 12/11/2020 Printed on 09/09/2021 ΕN

Page n. 12/12

ER F680

Replaced revision:4 (Dated: 05/07/2017) The following sections were modified: 01/02/03/08/09/10/11/12/15/16.